Amendments to the Claims

1. (currently amended) A method of two-way communication between a ~~web browser~~ computer and a mobile telecommunication device ~~including~~ comprising the steps of~~:~~:

accessing a web-site via a web browser installed on the computer,

sending a message to a message server ~~mobile telecommunication device~~ from the web-site~~,~~; ~~and~~

~~at a message server~~ capturing at the message server identification information associated with ~~uniquely identifying~~ the computer~~,~~;

assigning an identification number to the identification information associated with the computer ~~uniquely identifying the computer,~~;

storing the identification number assigned to the computer together with the ~~and~~ identification information associated with the computer ~~uniquely identifying the computer~~ in a database~~,~~; and

delivering the message together with the identification number ~~sending the message~~ to the mobile telecommunication device ~~with the identification number.~~ whereby the mobile telecommunication device's subscriber can send a response message to the computer utilizing the identification number received from the message server.

2. (currently amended) ~~A~~ The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in~~ claim 1 wherein a set number of identification numbers are available for ~~assigning~~ assignment by the message server.

3. (currently amended) ~~A~~ The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in~~ claim 1 or claim 2 further ~~including~~ comprising the step of capturing the receiving mobile telecommunications device number at the message server.

4. (currently amended) A The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in~~ claim 3 further ~~including~~ comprising the step of storing the receiving mobile telecommunication device number in the ~~message server~~ database.

5. (cancelled)

6. (currently amended) A The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in any one of claims~~ claim 1 ~~to 5~~ wherein the identification number includes a portion identifying the message server.

7. (currently amended) A The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in~~ claim 6 ~~the method~~ further ~~including~~ comprising the steps of~~:~~;

receiving ~~at the message server receiving~~ the response message ~~a message~~ from a mobile telecommunication device at the message server; ~~with an~~

extracting the identification number ~~of~~ from the response message ~~server,~~;

~~capturing the message and identification number, using~~ matching the ~~database to match the~~ identification number ~~to~~ with the identification information stored in said database; ~~uniquely identifying a computer,~~ and ~~sending~~

forwarding the message to the computer associated with the ~~identified by the unique~~ identification information to which the identification number was assigned.

8. (currently amended) A The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in~~ claim 7 further ~~including~~ comprising the step of ~~at the message server~~ capturing the ~~receiving~~ mobile telecommunication device number at the message server.

9. (currently amended) A The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in~~ claim 8 further

~~including~~ comprising the step of ~~at the message server~~ using the database to match the identification number to the identification information ~~uniquely identifying a~~ associated with the computer and ~~to~~ the ~~receiving~~ mobile telecommunication device number.

10. (currently amended) ~~A~~ The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in any one of claims~~ claim 1 ~~to 9~~ further ~~including~~ comprising the step of sending an acknowledgement message to the web browser when a the message is received by the message server.

11. (currently amended) ~~A~~ The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in any one of claims~~ claim 1 ~~to 10~~ further ~~including~~ comprising the step of after the message server receives a message from the web browser the message server ~~sends~~ posts a message to the web browser informing ~~the user of~~ the web ~~browser~~ browser's user that to receive a response the web browser must remain open.

12. (currently amended) ~~A~~ The method of ~~two-way communication between a web browser and a mobile telecommunication device as claimed in any one of claims~~ claim 1 ~~to 11~~ further ~~includes~~ comprising the step of informing a the mobile telecommunication device subscriber ~~user~~ when the web browser user ends a session.

13. (currently amended) A message server arranged to~~:~~;

receive a message from a computer sent via a web site for delivery to a mobile telecommunications device;

capture identification information ~~uniquely identifying a~~ associated with the computer sending a the message; ~~to a mobile telecommunication device via a web site;~~

~~capture the message sent by the computer;~~

assign a an identification number to the identification information ~~uniquely identifying~~ associated with the computer;~~;~~

store the identification number and corresponding identification information ~~uniquely identifying the computer~~ in a database~~; and~~;

~~send~~ deliver the message to the mobile telecommunication device with the identification number.; and

receive a response message from the mobile telecommunications device for delivery to the computer assigned the identification number.

14. (currently amended) ~~A~~ The message server ~~as claimed in~~ of claim 13 wherein the web site is provided by a telecommunication service provider.

15. (currently amended) ~~A~~ The message server ~~as claimed in~~ of claim 13 or claim 14 wherein a set number of identification numbers are available for assigning by the message server.

16. (currently amended) ~~A~~ The message server ~~as claimed in any one~~ of ~~claims~~ claim 13 ~~to 15~~ wherein the message server is further arranged to capture the receiving mobile telecommunications device number.

17. (currently amended) ~~A~~ The message server ~~as claimed in~~ of claim 16 further arranged to store the receiving mobile telecommunication device number in the ~~message server~~ database.

18. (cancelled)

19. (currently amended) ~~A~~ The message server ~~as claimed in any one~~ of ~~claims~~ claim 13 ~~to 18~~ wherein the message server is further arranged ~~so that upon receipt of a~~ to:

extract from the identification number from response message ~~from~~ sent by the ~~a~~ mobile telecommunication device; ~~sent to a identification number of the message server, captures the message and identification number, uses the database to~~

match the identification number ~~to~~ with the identification information ~~uniquely identifying a computer~~ stored in said database; and

~~sends~~ forward the response message to the computer ~~identified by the unique~~

~~identifying information~~ associated with the identification information to which the identification number was assigned.

20. (currently amended) ~~A~~ The message server ~~as claimed in~~ of claim 19 further arranged to capture the ~~receiving~~ mobile telecommunication device number.

21. (currently amended) ~~A~~ The message server ~~as claimed in~~ of claim 20 further arranged to ~~use~~ access the database to match the identification number to identification information ~~uniquely identifying a~~ associated with the computer and the ~~receiving~~ mobile telecommunication device number.

22. (currently amended) ~~A~~ The message server ~~as claimed in any one~~ of ~~claims~~ claim 13 ~~to 21~~ further arranged to send an acknowledgement message to the web browser when a message is received by the message server.

23. (currently amended) ~~A~~ The message server ~~as claimed in any one~~ of ~~claims~~ claim 13 ~~to 22~~ further arranged to ~~send~~ post a message to the web browser informing the ~~user of the~~ web ~~browser~~ browser's user that to receive a response the web browser must remain open ~~after the message server receives a message from the web browser the message server~~.